UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/541,874	07/11/2005	Angelo Benvenuti	6575/PCT	7897
	7590 08/14/200 REINER, L.L.C.	EXAMINER		
P.O. BOX 3201	.60 A, VA 22320-0160	LEE, LAURA MICHELLE		
ALLAANDRIA	1, VA 22320-0100		ART UNIT	PAPER NUMBER
			3724	
			MAIL DATE	DELIVERY MODE
			08/14/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Applica	ation No.	Applicant(s)	Applicant(s) BENVENUTI ET AL.	
		10/541	,874	BENVENUTI ET		
Office Action Summary			ner	Art Unit		
		LAURA	M. LEE	3724		
Period fo	The MAILING DATE of this communica or Reply	tion appears on	the cover sheet w	rith the correspondence a	nddress	
A SH WHIC - Exter after - If NC - Failu Any I	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE MAIL asions of time may be available under the provisions of 3 SIX (6) MONTHS from the mailing date of this communic period for reply is specified above, the maximum statutor to reply within the set or extended period for reply will reply received by the Office later than three months after ad patent term adjustment. See 37 CFR 1.704(b).	LING DATE OF 17 CFR 1.136(a). In no cation. ory period will apply and by statute, cause the a	THIS COMMUNI event, however, may a d will expire SIX (6) MO application to become A	CATION. reply be timely filed NTHS from the mailing date of this BANDONED (35 U.S.C. § 133).		
Status						
'	Responsive to communication(s) filed of This action is FINAL . 2b) Since this application is in condition for closed in accordance with the practice	This action is	s non-final. pt for formal mat	• •	ne merits is	
Dispositi	on of Claims					
5)□ 6)⊠ 7)□ 8)□ Applicat i	Claim(s) 1,2,4-13,15-26 and 44-47 is/a 4a) Of the above claim(s) 25 is/are with Claim(s) is/are allowed. Claim(s) 1,2,4-13.15-24,26,44-47 is/are Claim(s) is/are objected to. Claim(s) are subject to restriction fon Papers The specification is objected to by the E The drawing(s) filed on is/are: a Applicant may not request that any objection	drawn from conserved rejected. In and/or election caminer. Implication conserved are conserved or to the drawing(see the conserved con	n requirement. b) □ objected to b) be held in abeya	nce. See 37 CFR 1.85(a).		
11\□	Replacement drawing sheet(s) including the The oath or declaration is objected to by	-	•	• • •		
•	·	y the Examiner.	Note the attache	d Office Action of Torrit	10-132.	
Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
2) D Notic 3) D Inform	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	-948)	Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application 		

Application/Control Number: 10/541,874 Page 2

Art Unit: 3724

DETAILED ACTION

1. This office action is in response to the amendment filed on 4/29/2008 in which claims 1-2, 4-13, 15-26, and 44-47 are pending, claims 45-47 are new and claims 1, 2, 4, 9-11, 20 are currently amended and claim 25 is withdrawn.

Response to Arguments

2. Applicant's arguments filed4/29/2008 have been fully considered but they are not persuasive. The applicant contents that Wierschke does not disclose cyclical variations in the speed of pads, 27 and 28 nor that the products are in contact with and supported by the contact members of the flexible member and by the supporting element.

However, is it noted that col. 5, lines 7-12 and lines 29-36, recite structure of a phaser and servo motor to adjust the vacuum belt relationship to the front or downstream end of the log and the first cut position changes via difference in trim or roll length and also that the trim eliminator velocity is adaptable as it shares a common drive with the infeed conveyor which uses velocity changes between logs or rolls to match lengths of the belts systems with the infeed conveyor length. Secondly other structure can be considered the supporting element such as one of the three conveyors (24-26) or the supporting rails, 14, or infeed conveyor, 18

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

Application/Control Number: 10/541,874

Art Unit: 3724

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Page 3

4. Claims 1-2, 4-13, 15-19, 24, 26, and 45-47 are rejected under 35 U.S.C. 102(b) as being anticipated by Wierschke (U. S. Patent 5,458,033). In regards to claims 1, 45 and 46, Wierschke discloses a device (Figure 2) to eliminate trimmings or scraps from series of products comprising at least one continuous movable flexible member (i.e. at least one of belts, 24/25/26) carrying a series of contact members (i.e. pads, 27/28) for the products (R) aligned with one another, a section of said movable flexible member (4) being devoid of said contact members (see Figure 2, not numbered) to allow trimmings (Au, Ad) to fall (Figures 8A-8L); at least one longitudinal supporting element (i.e. rails, 15a/15b or trough means, rails 14, or another of the belts, 24 or 25 or 26) for the products, parallel to said movable flexible member (i.e. 24/25/26), a reciprocal position of said flexible member and of said longitudinal supporting element being such that the products advance in contact with and supported by the contact members (i.e. 27/28) of the flexible member and with the longitudinal supporting element (i.e. 15a/15b or 14 or one of 24/25/26); at least one pusher (pusher, 17) to insert the series of products (R) with respective trimmings (Au, Ad) between said flexible member (i.e. one of 24/25/26) and said longitudinal supporting element (i.e. 15a/15b or 14 or another of 24/25/26); wherein said flexible member (i.e., one of 24/25/26) is controlled with a cyclically variable speed (servo drive, 31 and maser phaser, 34, see col. 4 lines 46-63 and col. 5, lines 29-36,) to carry the section thereof devoid of contact members every

Art Unit: 3724

time to the level of the tail and head trimmings (Au, Ad) of two consecutive series of products (R) (col. 5, lines 6-35);

Wherein such that every time a new series of products is introduced into the device, said section of flexible member devoid of contact members is capable of being phased with positioning of tail and head trimmings of two consecutive series of product (via servo drive, 31 and maser phaser, 34, see col. 4 lines 46-63 and col. 5, lines 29-36)

Wherein at least one of said contact members is constructed and arranged to cyclically mechanically grip and release at least a last product of said series of products (see col. 6, lines 8-15).

In regards to claim 2, Wierschke discloses that the longitudinal supporting element (fixed supporting rails, 14) is stationary. It is also noted that one of the belts 24/25/26 is stationary in the direction perpendicular to the roll conveying direction.

In regards to claim 3, Wierschke disclose that said continuous flexible member (i.e. 24/25/26) has at least one first contact member (i.e. a first foraminous portion of 27/28) designed to grasp at least a last product (Ru) of each series and make the last product advance. (Figure 8A-8L)

In regards to claim 4, Wierschke discloses wherein said continuous flexible member (i.e. one of 24/25/26) has at least one second contact member (i.e. a second foraminous portion of 27/28) designed to grasp at least a first product of each series (Rd) and make the first product advance. (Figure 8A-8L).

In regards to claim 5, Wierschke discloses wherein at least some of the contact members (i.e. 27/28) are provided with a contact surface for the products having a low

friction coefficient (low is a relative term), to allow said products to slide with respect to said at least one longitudinal supporting element (15a/15b).

In regards to claim 7, Wierschke discloses wherein said flexible member (i.e.one of 24/25/26) is controlled at a variable speed to accelerate, at least a last product of each series with respect to the pusher (17) threrebehind (col. 7, lines 25-35)

In regards to claim 7, Wierschke discloses wherein said flexible member (i.e. one of 24/25/26) is controlled at a variable speed to accelerate, and optionally subsequently decelerate at least a first product of each series with respect to a subsequent product (col. 4, lines 48-50; col. 7, lines 25-35)

In regards to claim 8, Wierschke discloses wherein said flexible member (i.e. one of 24/25/26) is controlled to advance at a lower speed or to stop during an interval of time between arrival of a first product and arrival of a last product of each series, during said interval of time the products being pushed by said pusher (17) and sliding along the flexible member (i.e. 24/25/26) resting on the contact members (15a/15b).

In regards to claim 9, Wierschke discloses wherein one or more of said contact members (i.e. 27/28) disposed at each end of a series of contact members carried by the flexible member (i.e. 24/25/26), adjacent to said portion of the flexible member devoid of contact members, can be operated to have a grasping effect of the products (R) in contact therewith (see Figures 8A-8L).

In regards to claim 10, Wierschke discloses wherein said contact members (alternatively mechanical fingers; see col. 6, lines 8-15) deigned to grasp said products (R) are mounted movable (pinching direction), with respect to the flexible member which

carries the contact members at least in a direction essentially orthogonal to said flexible member.

In regards to claim 11, Wierschke discloses wherein the contact members (i.e. 27/28) designed to grasp the products have a movable portion. The whole contact member is a movable portion about the belts 24/25/26.

In regards to claim 13, Wierschke discloses wherein said flexible member (i.e. one of 24/25/26) and said longitudinal supporting element (15a/15b or 14 or one of 24/25/26) are arranged one above the other (see Figure 4/5 and Figure 7).

In regards to claim 15, Wierschke discloses wherein said flexible member (i.e. one of 24/25/26) is laterally staggered with respect to said longitudinal supporting element (15a/15b or 14 or one of 24/25/26).

In regards to claim 16, Wierschke discloses wherein said longitudinal supporting element (15a/15b or 14 or one of 24/25/26) is positioned under said flexible member (i.e. one of 24/25/26).

In regards to claim 17, Wierschke discloses wherein said flexible member (i.e. 24/25/26) is controlled to be accelerated synchronously with a position of said pusher (17), to distance a last product (Ru) of each series from the pusher there behind (col. 4, lines 48-50).

In regards to claim 18, Wierschke discloses wherein said flexible member (i.e. 24/25/26) is controlled to be accelerated synchronously with a position of said pusher (17), to distance a first product (Rd) of each series at least temporarily from a subsequent product (Figure 8B).

In/ regards to claim 19, Wierschke discloses wherein said flexible member (i.e. 24/25/26) includes a pair of parallel chains (belts, 24/25/26), one of said chains (24/25/26) being provided with a plurality of intermediate contact members (an intermediate foraminous portion of 27/28), said intermediate contact members being arranged in a laterally staggered position with respect to said longitudinal supporting element (15a/15b).

In regards to claim 24, Wierschke discloses wherein at least one of said first contact member or said second contact member designed to grasp said products includes jaws or pliers-shaped grasping members (alternatively mechanical fingers; see col. 6, lines 8-15).

In regards to claim 26, Wierschke discloses wherein said products are rolls (R) obtained from cutting a log (see abstract).

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 12, 20-23, and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wierschke in view of Spencer (U.S. Patent 4,033,862).

Wierschke discloses that the contact members are comprised of a vacuum system, and as such does not disclose a system of contact members movable mounted orthogonal to the flexible member, acted on by a fixed control profile, comprised of shoes or jaw shaped grasping members. However, Wierschke does recognize that it is feasible to replace the vacuum aspect of the invention with random mechanical fingers in a short area on each of the two belt or chain systems per lane and still retain the new quick product variability (col. 6, lines 8-15). However, Wierschke does not provide detail as to the structure of the mechanical fingers. Attention is therefore directed to the Spencer device that discloses a similar apparatus for conveying wound rolls wherein defective rolls are discarded / allowed to fall away from the contact members or finger grippers. One having ordinary skill in the art would have recognized the applicability of utilizing the Spencer finger grasping members as anticipated by Wierschke to similarly grasp and transport the rolls along the conveyor.

Therefore, in regards to claim 12, the Wierschke device as modified by Spencer discloses wherein a fixed control profile (Spencer; cam followers 53/54) acts on said movable portions (Spencer, fingers, 31/32/33), an elastic element (Spencer; spring, 43) being provided to hold each of said movable portions (19) in contact with said fixed control profile.

In regards to claim 20, the Wierschke device as modified by Spencer discloses wherein said first contact member (Spencer grippers, 19) designed to grasp the last product (Ru) (see Wierschke Figures 8A-8L) of each series of products includes two

shoes (i.e. Fingers, 31/32/33) and means are provided to control a grasping motion of said shoes (i.e. cams followers 53/54, springs 43).

In regards to claim 21, the Wierschke device as modified by Spencer discloses wherein said second contact member (Spencer grippers, 19) designed to grasp at least the first product (Rd) of each series of products includes two shoes (i.e. Fingers, 31/32/33) and means are provided to control a grasping motion of said shoes (i.e. cams followers 53/54, springs 43).

In regards to claim 22, the Wierschke device as modified by Spencer discloses wherein the two shoes (i.e. Fingers, 31/32/33) of said first contact member are controlled by a fixed cam profile (cam followers, 53/4), which controls a closing motion of said shoes.

In regards to claim 23, the Wierschke device as modified by Spencer discloses wherein said flexible member (i.e. 24/25/26) includes a pair of parallel chains (i.e. 24/25/26 / Spencer 20/21), one of said chains being provided with a plurality of intermediate contact members (mechanical fingers, Wierschke col. 6, lines 8-15 / Spencer fingers 31/32/33), said intermediate contact members being arranged in a laterally staggered position with respect to the longitudinal supporting element (i.e. 15a/15b) and wherein each shoe of said first contact member is carried by a respective one of said chains (i.e. 24/25/26 / Spencer 20/21).

In regards to claim 44, the Wierschke device as modified by Spencer discloses wherein said flexible member (i.e. 24/25/26) includes a pair of parallel chains (i.e. 24/25/26 / Spencer 20/21), one of said chains being provided with a plurality of

Application/Control Number: 10/541,874 Page 10

Art Unit: 3724

intermediate contact members (mechanical fingers, Wierschke col. 6, lines 8-15 / Spencer fingers 31/32/33), said intermediate contact members being arranged in a laterally staggered position with respect to the longitudinal supporting element (i.e. 15a/15b) and wherein each shoe of said first contact member is carried by a respective one of said chains (i.e. 24/25/26 / Spencer 20/21).

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LAURA M. LEE whose telephone number is (571)272-

Application/Control Number: 10/541,874 Page 11

Art Unit: 3724

8339. The examiner can normally be reached on Monday through Friday, 8:00am to

4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Boyer Ashley can be reached on (571) 272-4502. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Laura M Lee/

Examiner, Art Unit 3724

08/11/2008

/Boyer D. Ashley/

Supervisory Patent Examiner, Art Unit 3724